Unique Code - 201802261522092010

Self-Certification-cum-Consolidated Annual Return Scheme for Boilers / Economisers in the State of Maharashtra.

GOVERNMENT OF MAHARASHTRA

INDUSTRIES, ENERGY & LABOUR DEPARTMENT.
Government Resolution No.Boilers-0415/CR-23/Labour-1
Mantralaya, Mumbai 400 032.
Dated the 24th June, 2015

PREAMBLE:-

In order to achieve better services in the state of the vibrant policies of Government of India, viz. "Make in India" and "Ease of doing business", the Government of Maharashtra is in the process of examining how to rationalize and simplify the various Acts and Rules etc. of the Department of Steam Boilers so as to create more conducive environment for industries, and to boost "Make in Maharashtra", without compromising safety and security of workers engaged in the enterprises. Currently, the inspecting officers physically inspects the boiler / economiser and certify the boiler / economiser in accordance with the provisions of the Boilers Act 1923 and the Indian Boiler Regulations 1950. The Government of Maharashtra is now satisfied that for rapid industrialisation of the state, it is necessary to exempt certain class of boilers from certain provisions of the Boilers Act 1923 (V of 1923) without compromising safety and security by the owner. Therefore, Government of Maharashtra is proposing the introduction of the scheme of Self Certification for boilers and economisers having heating surface area of more than or equal to 1000 m².

- 1. Objective:-The objective of this Scheme is to reduce visits of the inspecting officers / competent persons for inspection of those boilers, which opt for this scheme without compromising on the safety.
- 2. Scope of the scheme:- This scheme of "Self Certification-cum-Consolidated Annual Return" is open to all the boilers / economisers whose heating surface area is more than or equal to 1000 m² and will apply only to those owners, who opt to join the scheme by making written application for the same as prescribed in annexure I, and II with a self-declaration as given in annexure III.

Resolution :-

Keeping the above context in view, the Government of Maharashtra in the department of Steam Boilers has decided to simplify and introduce a new system for enforcement of the Boilers Act, 1923 with simplification in inspection, norms and certification of boilers. The Government thus decided to introduce a Self- Certification-cum-Consolidated Annual Return scheme for various boilers / economisers having heating surface area, more than or equal to $1000m^2$ and which are in use in the State. This step is intended to minimize the visits of the officers to the factories, while at the same time ensuring more effective compliance with the Boilers Act, 1923 by the owners. The Government of Maharashtra has satisfied itself with regard to the material, design or construction of boilers and the need for the rapid industrialisation in the state. As per section34 of the Boiler's Act, 1923 the State Government has power to exempt from the provisions of the Act. In exercise of these powers, the Government has decided to exclude the boilers where heating surface area of boiler is more than or equal to $1000m^2$ from the operation of the provisions of sub-section (C) of Section – 6, Sub-section – 3, 4, 5 & 6 of Section-8, Section-

10, Sub-section-1a, & 1b of Section-14 & Section-19, 20, 21 of this Act subject to the conditions and restrictions specified as under:-

- a) The boiler / economiser covered under Self Certification Scheme shall be inspected every year in case of boilers and every two year in case of economisers by the owner by engaging a Boiler Operation Engineer (BOE). Who will be in the regular employment of the owner as per Boiler Operation Rules, 2011. The inspection shall be carried out as per the guidelines provided by Indian Boiler Regulations, 1950, Maharashtra Boiler Rules, 1962, Maharashtra Economiser Rules, 1965 or any other rules framed by Central Boiler Board and / or State Government or by Government of India from time to time.
- b) The owner shall submit consolidated return for the boiler / economiser as per annexure IV and V of this notification in two copies for renewal of certificate and challan of the renewal / inspection fees shall be deposited in Government Treasury online through Government Website Payment Gateway www.mahakosh.gov.in as prescribed under Rules / Regulations of the Directorate of Steam Boilers, Maharashtra State and Central Boiler Board, within seven days from the date of inspection as prescribed in IBR, 1950 as amended from time to time.
- c) On receipt of the consolidated return of the boiler / economiser in Annexure IV and V and challan of the fees, Directorate of Steam Boilers will record the necessary details and challan details in Memorandum of Inspection Book and Memorandum of Registration Book and the boiler / economiser shall stand exempted from the aforementioned clauses of the Act, for the period of 12 months in case of boiler and 24 months in case of economisers, to be calculated as prescribed in the Regulations above.
- d) The boiler / economiser shall be stopped immediately if any accident / leakage occurs through pressure parts of boiler or boiler components attached to it and intimation of the same shall be made immediately to the Directorate of Steam Boilers. In such case the self-certification form V shall stand suspended. However, after necessary compliance of repairs etc. to pressure parts of boiler or boiler components in the prescribed manner, same will be restored.
- e) However, it may be noted that safety under the Boilers Act, 1923 is of utmost importance and is at apex and it shall be the responsibility of owner to follow the provisions of Act, Rules and Regulations framed under the Act for safe operation of boiler. The owner will also be responsible for any negligence and the violations of the provisions of the Boilers Act, 1923, if found during investigation of the accident.
- f) The self-certification scheme is optional for the owners. However, the owner will be free to avail the services of Directorate of Steam Boilers / third party inspecting authorities nominated by CBB if he so desires as per the existing practice and norms in this regard.

2. Procedure for Registration under the Self Certification Scheme.

- (i) The owners desiring to join the Scheme shall submit an application in the prescribed proforma as given in Annexure I, II and III (in triplicate) along with the required amount of security deposit as prescribed, for each boiler / economiser. The Self Certification Scheme Committee set up in this regard will scrutinize the application within 30 days of its submission and allot a registration number to the respective owner and this number shall be quoted in all correspondence under the Scheme.
- (ii) This scheme shall be open to the owners of all the registered boilers / economisers in the State, having heating surface area more than or equal to 1000m² and the owner can opt for the scheme after applying to the Self Certification Scheme Committee.

(iii) The State level Self Certification Committee shall consist of the following members:

Chairman: Director, Directorate of Steam Boilers, Maharashtra State,

Mumbai

Secretary: Jt. Director, Directorate of Steam Boilers, Maharashtra State,

Mumbai OR Senior Deputy Director, Steam Boilers,

Maharashtra State, Mumbai

Members: The respective Joint Director / Deputy Director of the

Division in which the boiler / economiser is located.

The Committee will operate from the Office of the Director, Directorate of Steam Boilers, Maharashtra, Mumbai and will meet once in a month, or at such intervals periodically as may be required.

(iv) Security deposit The amount of security deposit along with the application for self- certification shall be as follows:-

For boilers having heating surface area more than or equal to 1000m² - Rs.1,00,000/-

- (v) **Processing fee:** One time processing fee for processing the application Rs.10,000/-
- (vi) Validity of the Scheme: Once the owner has opted for the Scheme, it shall be valid for a period of five consecutive calendar years. After five consecutive calendar years, owner may renew the registration under the Self Certification scheme for further 5 calendar years by submitting a fresh application with the required security deposit as the case may be. The owner will also be free to withdraw from the Self-Certification Scheme at any time before completion of 5 years by informing the Self-Certification Scheme Committee in this regard. In such cases of premature withdrawal from the Scheme, the security deposit paid at the time of registration will stand forfeited.
- (vii) Coverage under the scheme -The scheme of self-certification shall apply to boiler / economisers having heating surface exceeds or equal to 1000m²
- (viii) Filing of Self—Certification-cum—Consolidated Annual Return:—After getting enrolled for the Scheme, the concerned Owner shall file Self-Certification-cum—Consolidated Annual Return in the proforma prescribed in annexure-IV and V along with required supporting documents /information. This return must be filed within 7 days from the date of inspection of boilers / economisers done by their own inspector (Competent boiler engineer). In no case the validity period for boilers covered under this scheme shall exceed twelve months and for economiser or an unfired boiler which forms an integral part of a processing plant in which steam is generated solely by the use of oil, asphalt or bitumen as a heating medium shall exceed twenty four months. On failure to submit the return within the prescribed time limit or extension in time limit if any granted by competent authority, the owner will cease to be the member under the Self-Certification Scheme. In such case the security deposit shall be forfeited.
 - (ix) Consequences of submitting false information in the Return:- Any submission of false, incorrect information, in the Self-Certification-cum-Consolidated Annual Return, shall make the owner liable for action as per the prevalent legal framework and cancellation of registration under the Self Certification Scheme. However, before taking any such action, the State Level Committee shall inform the owner of such grounds / information / charges, as the

case may be and afford him an opportunity of being heard or represent his case before the committee.

3. Inspection Procedure under the Scheme: Process of Randomisation.

- a) The State Level Committee shall follow the procedure of Randomisation for selection of the Boilers / Economisers for inspection, which shall not exceed more than 20% of total numbers of Boilers in that category, in any particular year. The Boilers / Economisers so randomly selected every year shall be inspected only once in the five years to verify implementation of the Boilers Act, 1923 under the Scheme. The Boilers / Economisers inspected once during the period of the scheme will not be inspected again during the remaining period of 5 years for the Scheme unless there are any specific complaints of violations received by the State Level Committee in this respect. If any violations are detected during the course of inspection, it will be processed as per the provisions of the Boilers Act, 1923.
- b) The inspection visit for enquiry into complaints shall be made only on specific authorization by the Director / Joint Director / Dy. Director of Steam Boilers, Maharashtra State in respect of boilers / economisers falling under his jurisdiction.
- c) **EXCEPTION:** The Scheme shall not cover any inspections / visits made by the Inspectors of **Director of Steam Boilers**, for the purpose of conducting enquiry into accidents and dangerous occurrences. Also the scheme shall only apply to boilers / economisers registered under the scheme in the state of Maharashtra.

4. This scheme shall come into effect from 23rd June,2015.

By order and in the name of the Governor of Maharashtra.

(B. S. Kolase)

Joint Secretary to Government of Maharashtra

To:-

- 1) Chief Secretary, Maharashtra State Mumbai
- 2) Principal Secretary to Hon. Chief Minister, Maharashtra State Mumbai
- 3) Principal Secretary (Industry) Mantralaya, Mumbai
- 4) Principal Secretary (Energy) Mantralaya, Mumbai
- 5) Principal Secretary (GAD) Mantralaya, Mumbai (For information)
- 6) Deputy Commissioner (Industry), New Administrative Building, Opp. Mantralaya, Mumbai
- 7) Joint Secretary, Deptt.Of Industrial Policy & Promotion, Udyog Bhavan, New Delhi 110107
- 8) Technical Adviser Central Boilers Board, Deptt.Of Industrial Policy & Promotion, New Delhi
- 9) Commissioner Of Labour, Kamgar Bhavan, Bandra (E), Mumbai-400 051
- 10) Director, Boilers, Kamgar Bhavan, Bandra (E), Mumbai-400 051
- 11) Director, Industrial Safety & Health, Kamgar Bhavan, Bandra (E), Mumbai-400 051
- 12) Director, Information & Publicity, Mantralaya, Mumbai
- 13) O.S.D. to Hon. Minister (Labour), Maharashtra State Mumbai
- 14) P.S. to Hon. Minister (Labour), Maharashtra State Mumbai
- 15) P.A. to Principal Secretary (Labour) Mantralaya, Mumbai
- 16) Select file (Labour-1)

ANNEXURE-I

APPLICATION FORM

From:-						
M/s						
To,			•			
The Director Govern Mumba	orate of Steam I	Boilers, ashtra,				
Sub.:	Application fo	r registra	tion under th	e Self Cer	tification S	Scheme.
(Government Department, (dated Directorate of	jovernme	nt Resolution regarding	No		
Sir,						
We wish to be me / us necess	ary registration	the said Sc under the	heme. As such	I / we req	uest you to informatio	kindly issue
locuments, as re erms and condi	equired under to tions of the Sch	he Scheme eme. It is a	e are enclosed. also certified t	I/We un	ndertake to am / are co	abide by all
luly authorized						ntral / State
Government ame			behalf	of	this	Factory
	sue the necessa			st.		

Yours faithfully,

(Name and Address of the Owner)

ANNEXURE-II

LIST OF DOCUMENTS TO BE ATTACHED WITH ANNEXURE-I.

		T
1.	Status of the Factories	
	[Company / Firm / Shop / Others. Pl. specify]	
2.	Nature of the Factories	
۷.	[What work / business, it is carried out]	
3.	Registry Number of Boiler / Economiser under the	
	Boilers Act, 1923.	,
4.	List of raw materials used & end products, if the	
	factory is a manufacturing or processing unit.	
5.	Details of security deposit paid online.	
	Name & address of the Establishment / Factory	
6.	with telephone / mobile / fax. Nos. and email address, if any.*	
	Name & residential address of the Owner with	,
7.	telephone / mobile / fax. Nos. and email address, if	
	any.	•
	Name & residential address of the Boiler Operation	
8	Engineer Incharge certificate no. and date /	
	telephone / mobile / fax Nos. and email address, if any.*	
9.	Nature of industry / activity.	

Signature of Owner
(Name and signature of authorised
Signatory along with the company stamp)

^{*}Note:-Any communication send to this address shall be final unless the change is not communicated to Directorate of Steam Boilers office.

ANNEXURE-III

DECLARATION

[To be filed by the Owner]

Photo of Owner (Size 50 X 60 mm)

Self attested

I		ı	/			We		S/
Shri								•
R/o								Owner o
M/s			he	reby st	ate as 1	ınder:-		
That I /	We ha	ave applied for	grant of co	overag	e of Bo	oiler / Economis	ser by 1	the name o
situated	at	[Complete	address	of	the	Establishment	: /	Factory]
. U	Inder t	the Self Certif	ication-cun	n-Cons	olidate	d Annual Retur	n Sch	eme of the
Directora	ate of S	Steam Boilers,	Governme	nt of M	aharas	htra as notified	vide	,
, d								
1. T	hat I / \	We have gone t	hrough the	Schem	ne and l	nave fully under	stood t	he contents
		cheme and und						
						with and will co	ontinue	to comply
						ered under this		
						Act make us liab		
						l framework in t		
			•					, ui u.
LACE:						OWNER		
OATE:						signature of au		
		e-I [Application				·		

ANNEXURE-IV

FORM FOR FILING ANNUAL RETURN FOR SELF CERTIFICATION SCHEME UNDER THE BOILERS ACT, 1923.

I/We	Mr /Mrs / Miss hereby, certify that I / We an
/ are t	he Owner of the Boiler / Economiser, whose identification and general details are
as foll	lows-
I / We	hereby certify that my / our Boiler / Economiser have fully and correctly complied
with a	all the provisions under the Scheme and the status of compliance of following
Boiler	rs Act, 1923 and annual return of my / our Boiler / Economiser, during the
year_	is as under:
1.	Name of Establishment / Factory, its postal address and location:-
2.	Name and address of the Owner:-
3.	Name of the certified Boiler Operation Engineer responsible for supervision and
	control of the Boiler / Economiser:-
4.	Nature of business, industry or trade or occupation carried on by the employer:-
5.	Boiler / Economiser Registration number:-
6.	Registration number allotted under the Self Certification Scheme:-
7.	Details of fees paid for renewal of certificate (Challan amount date of payment):

Signature of Owner
(Name and signature of authorised
Signatory along with the company stamp)

Annexure - V

<u>Certificate of Boiler / Economiser under Self-Certification Scheme and Annual</u> <u>Return for the Year -</u>

- Registration number allotted under the Self Certification Scheme: 2. Name and address of Owner: 3. Registry number of Boiler / Economiser: 4. Type of Boiler / Economiser: 5. Boiler / Economiser Rating (m²): 6. Place & Year of Manufacture: 7. Boiler Manufacturer: 8. Approved Working Pressure: Kg/cm² 9. Quality of steam and its temperature: 10. Rate of steam generation: 11. Brief description of boiler: 12. Whether fired or waste heat boiler: 13. Date of registration: 14. Last date of annual inspection: 15. Expiry date of current certificate / validity: 16. Details of past repair (Year-wise): 17. Quality of Boiler feed water and boiler water: 18. Whether requisite number of Feed pump are in satisfactory working condition at present? 19. Number of safety valve mounted: 20. Whether safety valve are blowing Satisfactory at or below design Pressure? 21. Whether safety valve assemble is Free from jamming as verified by Operating casing lever? 22. Whether high and low water level alarm is in good condition? 23. Number of water level gauges, mounted and its conditions: 24. Whether main steam stop valve, Feed check valves, blow down valves and master
- pressure gauge is in working condition?
- 25. Whether conditional requirements for automatic boiler as per Regulation 281 are complied with? (if no give detail):
- 26. Latest date of calibration for master Pressure gauge, temperature indicator / Recorder for superheated, hot reheat Cold reheat and main steam:
- 27. Latest date when boiler protection Device were satisfactorily tested:

29. Present irregularities in instrument and control if any observed in control Room								
of boiler house:								
30. Date when boiler water sample tested (enclosed copy of test Report showing								
TDS):	·							
31. State at what interval such test carried out:32. When boiler was last opened for Internal and/or external cleaning:33. State at what intervals such cleaning is carried out?								
							34. Whether working pressure of the boiler	ever exceeded in the past beyond
							certified limit? If any give details:	
35. Particulars of boiler operation Engineers	3 / attendants:							
36. Open inspection on:								
37. Observation during open inspection:								
38. Hydraulically tested on dt.	tokg/cm ²							
39. List of Enclosures attached:								
•								
•								
Signature of	Signature of BOE:							
Owner:	Name of BOE:							
Name of Owner under Section 2(d) of Boilers Act, 1923:	Details of BOE Certificate No, date and issuing authority:							
Office Seal:								
Address:-	Address:-							
~ .								
Date:	•							

28. Detail of boiler tripping for last three months with reason thereof: